

Steps

AMF-BRUNS STEPS

Electric and fixed step for the side sliding door



www.amf-bruns.com

Fixed Step

This high-quality step not only impresses visually, but also technically. Thanks to the aluminium tread, the fixed step has a very low weight and is therefore considerably lighter than comparable steps. The step is mounted on the side entry under the vehicle. Installation does not require any further approval by an expert.

SPECIFICATION

- » Lightweight aluminium tread with anodised surface
- » Non-slip surface
- » Robust construction
- » Easy to install
- » No electrical connection needed
- » Complies with DIN 75078 and covers 70 % of the vehicle entrance area
- » Step with General Operating Permit (ABE), installation without further approval by an expert

TECHNICAL DATA

- » Mounting on the side entry
- » Material: Aluminium, anodised
- » Slip resistance: R11
- » Load capacity: 150 kg
- » Availability: See overview table





The fully electric step is mounted under the vehicle at the side door. When opening the sliding door, the step extends automatically and retracts again when the door is closed. A signal lamp on the dashboard indicates whether the electric step is in use or not.

SPECIFICATION

- » Fully automatic step - operated by opening/closing the sliding door
- » Powerful motor
- » Compact, robust design
- » Anti-slip surface
- » High-quality processing, absolutely weatherproof
- » Visual warning signal (dashboard) when step is extended
- » Pinch protection - step stops in the event of an obstacle
- » No modification to the vehicle body necessary
- » Complies with DIN 75078 and covers 70 % of the vehicle entrance area

TECHNICAL DATA

- » Mounting on the side entry
- » Material: Stainless steel
- » Slip resistance: R11
- » Load capacity: 250 kg
- » Width/Weight: 600 mm / approx. 23 kg
900 mm / approx. 27 kg
1,100 mm / approx. 32 kg
- » Deploying/Stowing: Approx. 2 sec
- » Operating voltage: 12 V (splash-proof motor/ protection class IP66)
- » Operation: Fully electric by opening/closing of the side door
- » EMC tested according to EU regulations
- » Availability: See overview table



SmartStep - Electric Step

Type	Vehicle	built from (YOM)	Length / Wheelbase (mm)			Door		Item No.		
			short	medium	long	right	left	600 mm	900 mm	1,100 mm
V710	Ford Custom / Volkswagen Transporter	2024	L1 3,100	L2 3,500		x	x	10026488	10026489	-
V362	Ford Custom (until 2024)	2012	L1 2,933			x	x	10025886	-	-
V362	Ford Custom / Hybrid (until 2024)	2012		L2 3,300		x	x	10025886	10025887	-
F7	Ford Transit	2013	L2 3,300	L3 3,750		x	x	10025902	10025903	10025904
F7	Ford E-Transit	2022	L2 3,300	L3 3,750		x	x	10025907	10025908	10025909
906-907	Mercedes-Benz Sprinter (RWD)	2013	Short 3,250			x	x	10026405	10025892	-
906-907	Mercedes-Benz Sprinter (RDW)	2013	Standard 3,665	Long 4,325	Extra Long 4,325	x	x	10026405	10025892	10025893
447	Mercedes-Benz Vito / Mercedes-Benz V-Class	2015	L1 3,200	L2 3,430		x		10025894	10025895	-
	Volkswagen T6	2015	L1 3,003	L2 3,403		x		10025877	10025878	-
	Volkswagen Crafter / MAN TGE	2017	L3 3,640	L4 4,490	L5 4,490	x		10025896	10025897	10025898
	Volkswagen Crafter / MAN TGE (FWD)	2017	L3 3,640	L4 4,490	L5 4,490		x	-	-	10025899
	Volkswagen Crafter / MAN TGE (RWD)	2017	L3 3,640	L4 4,490	L5 4,490		x	-	-	10025900
K9	Citroën Berlingo / Fiat Doblo / Opel Combo / Peugeot Rifter / Toyota Proace City	2019		L2 2,975		x	x	10025901	-	-
K0 / eK0	Citroën SpaceTourer / Fiat Scudo Opel Zafira / Peugeot Traveller / Toyota Proace	2019		L2 3,275	L3 3,275	x	x	10025879	10025880	-
X250	Citroën Jumper / Fiat Ducato Opel Movano / Peugeot Boxer / Toyota Proace Max	2021	L1 3,000	L2 3,450	L3 4,035	x	x	10025881	10025882	10025883

Fixed Step

Item No.	Vehicle Type	Wheelbase			Drive		Step Depth (mm)	Step Width (mm)	Total Width (mm)	Weight (kg)
		short	medium	long	RWD	FWD				
200924434	Ford Transit F7		x	x		x	190	1.460	1.475	15,0
200924435			x	x	x		190	1.460	1.475	13,4
200924436	Ford Transit Custom	x		x		x	190	1.165	1.180	13,1
200924437	Volkswagen T5 / T6	x		x		x	190	1.165	1.180	9,5
200924438	Mercedes-Benz Sprinter (from 2019)		x	x	x		190	1.460	1.475	14,5
200924439		x			x		190	1.165	1.180	13,6
200924440	Volkswagen Crafter / MAN TGE		x	x	x	x	190	1.460	1.475	13,6
200924441	Mercedes-Benz Sprinter (until 2019)		x	x	x		190	1.460	1.475	14,5
200924442		x			x		190	1.165	1.180	13,6
200924443	Citroën Jumper / Fiat Ducato / Peugeot Boxer		x	x		x	190	1.460	1.475	9,5
200939292	Maxus eDELIVER 9		x			x	190	1.460	1.475	18,0



AMF-Bruns GmbH & Co. KG | Hauptstraße 101 | D-26689 Apen
Phone +49 (0) 44 89 - 72 72 50 | Fax +49 (0) 44 89 - 62 45
hubmatik@amf-bruns.de
www.amf-bruns.com



DIN EN ISO 9001
REG.-NR. 01 0105027